

# Metarealistic Rendering of Real-time Interactive Computer Animations\*

George K. Francis

January 17, 2003

## Apologia

Two decades ago, when I coined the acronym RTICA (for Real-Time Interactive Computer Animation), it was wishful thinking that we should be able to do such a thing in the classrooms, in our student labs, in our offices, at home! By the end of that decade Silicon Graphics Iris workstations had made all this possible. By 1992, the C in the acronym could be expanded to CAVE, the recursively expanding acronym for a new technology[12] in immersive virtual environments. Along the way, what at first was mostly a manner of speaking has matured into a reusable vocabulary.

My acronym is intended to be pronounced, not spelled out. Try it! Make it sound like *articae*: many artful things. The A also expands variously to Animation, Animator, Animatrix. And, *animation* itself has some welcome double meanings: the process of bringing to life, and that which has been so enlivened. Similarly, the *animator*, like the *editor*, is both the human operator and the graphic tool used to produce the animation. There is, as yet, no such word as *animatrix*. Perhaps there should be: for the tenth muse, who inspires us to write computer programs to make pictures come alive.

In this essay I shall explore computer animation from the viewpoint of a mathematician for whom drawing mathematical pictures came as a late vocation, and for whom teaching what he learned became the principal arbiter for many choices and decisions. I hope this attempt to formalize my *axioms* (if only to rationalize my idiosyncrasies) will at least amuse the reader.

First, I draw a sharp distinction between photorealistic rendering of computer images and a species of non-photorealistic rendering. This new discipline [33, 23, 1, 29] treats computer simulations of all graphics media other than photography.

---

\*This will be Chapter X in *The Geometrical Puppetshow*. It is Chapter Y in Michele Emmer, ed., *Mathematics, Art, Technology, Cinema*, MIT Press, 2003. An abridged version of this paper appeared in the proceedings of the MOSAIC 2000 Conference, Seattle, 2000. The real-time interactive computer animations mentioned herein, were presented at the conference *Matematica e Cultura: Arte, Tecnologia, Immagini*, Bologna, 2000 [14]

Next, I choose a particular family of mathematical phenomena to illustrate, namely several kinds of *homotopies*. These can be classified according to the difficulty of rendering them as real-time interactive animations. Two related areas of mathematics are particularly hard to imagine and therefore good subjects for metarealistic rendering. They are 3-dimensional non-Euclidean geometry, and the visualization of processes extended in 4 isotropic geometrical dimensions.

Finally, I adopt a more polemical turn of speech which touches on the rightful place of mathematical illustration in the brief history of computer graphics. To maintain focus, I trace the evolution of my metarealistic enterprise, *illiView*, as an example of technology driven research.

## Metarealism vs. Photorealism

There is no ambiguity in the meaning of photorealism in computer graphics. In 1727 Prof. Johann Heinrich Schulze discovered the photographic properties of silver-halide [2, 13ff]. Daguerre, 1839, received a life-long pension for his discovery from the French government. After two and a half centuries of photography and over a century of movies to fall back on, we have no difficulty in deciding to what degree a computer animation really looks and acts *real*. We have an even longer collective pictorial experience, formed in the eons during which artists developed (hardly photorealistic) renderings of every conceivable scene and action. By and large — and exceptions are worth pondering elsewhere — artists drew on the real world. Their pictures used real and familiar objects even when the intended meaning was supernatural, spiritual, or just fanciful. Even impressionism, which Webster[41] defines as “a type of realism the aim of which is to render the immediate sense impression of the artist apart from any element of inference or study of the detail,” and subsequent abstract styles (by-and-large !), mean to evoke an emotional or intellectual response which the viewer might have had on looking at the actual model for the picture.

Not so when we use computer graphics to render abstractions that *do not* have concomitant realities. Lately there has been a welcome resurgence of the fascination with the fourth *geometrical* dimension. In the latter half of the nineteenth century there was some popular interest in worlds of four or more isotropic spatial dimensions. Two generations of relativistic science and science fiction has made it difficult to persuade college freshmen and the general public alike that *the* fourth dimension need not invariably be time[4, 7, 25, 28]. Hypercubes rotating in 4-space are found in screen-savers and are routinely assigned as machine problems in computer science courses. Since the advent of computer animation and virtual reality, non-Euclidean geometry has come into fashion[24, 18, 37, 42]. Java applets for drawing lines in the hyperbolic plane and on a spherical surface can be found on the web. Instructive excursions into special and general relativity, molecular biology, cosmology etc. all benefit from particularly *non-realistic* simulations which bend the laws of physics, use stick and balls to model membranes, enlarge planetary diameters a thousandfold, and travel through the cosmos faster than light. These cinematic fictions are necessary so that we can see anything at all on the screen, and to animate it in

real-time.

This enterprise deserves its own name, and I propose *metarealistic rendering*, fully aware of the hazard of coining jargon. The literature is littered with multiple terms competing for the same fuzzy meaning, and derelict corpses of splendid terms that nobody uses. But this is not a synonym for what is generally called *virtual reality*. The virtual in VR just means that we use novel projections (stereo, for example) and input controls (head-tracking, for example) to convincingly evoke the illusion of experiencing something real, much as in a dream. The prefix *meta*, having the innocent meaning of “between, with, after, along side of” (Webster) also has less desirable connotations, such as *metaphysical*, *metaphorical* and *metamorphosing*. But recall that Aristotle’s book on the essential nature of reality merely followed his book on its physical reality. Only later did *metaphysics* suggest something transcendent, philosophical, theological. Similarly *metaphor* has become bent out of shape in computing. No longer just the “poetic reuse of a word,” it seems to mean the imposition of a familiar cognitive structure on an unfamiliar one. For example, the *desktop metaphor* trades on our familiarity with desktop furnishings, but then has us use a *mouse* (uncommon on desktops) to move pictures representing files but blasphemously called icons, about the computer screen, and later, to eject a floppy by depositing it in a trash can (a dubious metaphor!). Finally, in computing jargon, the transformation of the physical characteristic of an object, literally its *metamorphosis* (meta=trans, morphe=form), has lost the prefix to become just *morphing*. So, having demythologized some undesirable connotations, let us briefly consider whether the distinction between *photorealistic* and *metarealistic rendering* deserves a place in the philosophy of technology.

The photorealist has this significant advantage over a metarealistic colleague. The former can compare personal experience with its imitation (counterfeit, not facsimile) at every step along its development. Faithfulness to reality guides the programming strategy; it is an unambiguous criterion for choosing techniques. Thus for photorealism, Phong shading and anti-aliasing are invariably superior to mere Gouraud shading and the *jaggies* (aliasing contours), because it makes the image look more like the photograph of the original, the real-thing. On the other hand, consider a rendering of what a four-dimensional artist would have to draw on a three-dimensional canvas in order to evoke the same illusion of an impossible figure as the Penrose tribar popularized by Escher[32, 13, 11]. What does such a 4-D object really and truly look like? Should its image be shaded at all? How much do we care about the jaggies? Actually, we do care. But only after the depiction is totally convincing in its raw-and-ready draft. Only then, resources permitting, might we engage a computer artist to help us to meet the competition for inclusion in it Electronic Theater at SIGGRAPH.<sup>1</sup>

Thus, we find that the metarealist must use other criteria, other standards of comparisons than the photorealist. Among these are fidelity to physical

---

<sup>1</sup>This annual convention of the Association for Computing Machinery draws close to 40,000 visitors and the Electronic Theater presents the industry standard of quality and interest in computer animation. And yet, in 1998 there were only two pieces of thirty with a frankly mathematical content. In 2001 there were none.

principles, mathematical honesty, even something like a Calvinist economy in programming the RTICA so that its scientific message does not get lost in a baroque programming style. After all, it is usually the student programmer of the RTICA who gains the greatest intellectual benefits from the exercise. Photorealistic perfection intimidates the student programmer and distracts the engaged observer. The latter is expected to think through the mathematical ideas expressed in the RTICA. Thus, the less the artifact resembles something else, something too familiar, the better.

## Animating Homotopies

Real-time interactive computer animation is particularly appropriate for illustrating mathematical objects called *homotopies*. These deal with topological changes that happen over time. As such, a homotopy is the natural mathematical abstraction of any temporal change-of-shape. Rather than proposing some grand scheme for animating all possible homotopies, we identify a few *elementary* and *typical* homotopies and develop a vocabulary for exploring their RTICAs.<sup>2</sup> However, we do propose to transfer the notion of homotopy into the vocabulary of computer graphics.

Turning a sphere inside out is the best known of such homotopies[38]. In the four decades since Smale proved its existence, and the two decades since Nelson Max first captured Morin's eversion in a computer animation, there have been many metarealistic renderings of this *Helen of Homotopies*.

Let us review the common meanings of our vocabulary. But, why should we care what the non-specialist, ignorant of the jargon, might hear? Mostly, we do so to anticipate the conscious or subliminal associations our usage will arouse. It also permits us to appreciate the circumstances under which the common term entered the jargon, and the evolution of its meaning along with the technology.

A quick dictionary[34] search yields

*Animate*: Create the illusion of motions.

*Motion*: Change in position, change of body, gesture, gait.

*Animated Cartoon*: A motion picture consisting of a photographed series of drawings.

*Motion Picture*: Series of filmed (photographed) images viewed in sufficiently rapid succession to create the illusion of motion and continuity.

We consolidate these into our working definition of animation:

---

<sup>2</sup>The students in my courses on geometrical graphics are my chief assistants in this enterprise. I present them a smorgasbord of sample homotopies, often worked on by previous students. They choose one, or come up with a new one, and build a semester project around it. This pedagogical aspect has a healthy influence on my understanding of what is elementary and typical. The website originally created by them, <http://new.math.uiuc.edu>, continues to present the current and archived work.

**Animation:** A sequence of pictures viewed rapidly enough to evoke an experience of continuous motion.

We have less success finding a common word for that which we animate. We borrow the word *homotopy* from topology rather than using the familiar terms: *transformation* and *metamorphosis*? Indeed, both say “change of shape”, one in Latin, the other in Greek. But both also have undesirable connotations. In the common tongue, transformation has come to mean just about any kind of change. In mathematics it is synonymous with every function or mapping between two sets. In contrast, the second term has too restricted (entomological and mystical) meanings in the common language. The popular amputation, *morphing* comes closest, but already has a narrower technical meaning. So we borrow a technical term from topology and hope to popularize it.

All uses of the term *homotopy* in topology have this common denominator. Two continuous mappings,  $f_0, f_1 : X \rightarrow Y$ , from the same source space  $X$  into the target space  $Y$  are *homotopic* if  $f_0$  and  $f_1$  fit into a continuum of mappings in between. More precisely, there is a continuous mapping

$$h : X \times [0, 1] \rightarrow Y$$

so that for each  $x \in X$  we have  $h(x, 0) = f_0$  and  $h(x, 1) = f_1(x)$ . One writes  $f_t(x)$  for  $h(x, t)$  and refers to  $f_t$  as the homotopy from  $f_0$  to  $f_1$ .<sup>3</sup> The place that remains the same throughout the homotopy (from Greek: same+place) is  $X$ ; the *topes* are its continuous images,  $F_t = f_t(X)$ , depicting what is being deformed in  $Y$ . Note that  $F_t$  is the deforming shape, and  $f_t$  is its parametrization. The neologism *tope* avoids having to import the topological term *image* into a field where image already has too many meanings.

To capture a homotopy into a computer program, both source  $X^d$  and target  $Y^n$  must be subsets of real Cartesian spaces of dimensions  $d$  and  $n$ . When  $d > n$  we tend to speak of *projecting*  $X$  to  $Y$ . When  $d < n$  we think of *inserting*  $X$  into  $Y$ . The non-standard term *insertion* collects the notions of *embedding* (globally 1:1), *immersion* (locally 1:1), as well as *Whitney stably singular*, which allows for controlled, non-pathological deviations. When  $d = n$ , and often as not  $f_0$  is the identity map, then  $f_1$  represents some *rearrangement* of space, and the homotopy  $f_t$  is a continuous *distortion* of space until the rearrangement is complete. Think of the commonly used term *warping*, although warping is used more generally for all kinds of bending of objects already inserted in space.

Common examples of insertions ( $d < n$ ) are discrete sets of points ( $d = 0$ ) such as particle systems, curves ( $d = 1$ ), and surfaces ( $d = 2$ ) in space ( $n = 3$ ). To observe the distortion of space ( $d = n$ ) we insert lower dimensional marker objects and follow their fate. We observe projections from space ( $d = 3$ ) to a surface ( $n = 2$ ) either by what appears on the 2-dimensional screen itself, or in terms of pictures affixed to surfaces in space. Ray tracing, texture mapping, and environment mappings should come to mind.

---

<sup>3</sup>Homotopy theory is a major branch of topology today and its concepts permeate many more fields of mathematics, like algebra and analysis. The classic textbook by Seifert and Threlfall[40] speaks of a *homotopic deformation* from  $f_0$  to  $f_1$ . The noun came later.

In practice, we require the in-between maps,  $f_t$ , which parametrize the toposes of the animation, to be of the same species as the initial and final maps. Thus, when  $f_0, f_1 : X \rightarrow Y$  have some structure or regularity, it shall be preserved throughout the homotopy. For example, when  $X$  is homeomorphic to each of its toposes  $F_t$ , the deformation is called an *isotopy*.<sup>4</sup> When  $X \subset Y$  and  $f_t$  is the restriction to  $X$  of a homotopy  $g_t$  of  $Y$  into itself, we say that it is an *ambient homotopy*. Combining both, an *ambient isotopy* is what we mean by a *distortion* of  $X$ . Though it may be difficult to imagine, almost every isotopy we encounter extends to an ambient isotopy.

## Classifying Homotopies

We propose a classification of homotopies which takes into consideration the manner in which their RTICA generates the stream of pictures. It is thus hardware and software dependent, but not determined by it. The brief elaboration after each abstract definition will make this clear.

**motion:** We are moving about a static scene. Or, in the solipsistic coordinate system of our personal reference frame, the entire world is being rigidly moved about in front of us. Either way, we need to understand clearly what *motion* entails.

The customary metaphor of changing *camera coordinates*, of making a *camera path*, is a vestige of the days that an RTICA was used mainly to produce a videotape for a passive audience. Virtual reality and immersive virtual environments are better served by the *observer* metaphor. The world, represented by a *display list* of polygons,  $X$ , is subjected to a succession of Euclidean isometries,  $M(t)$ , before being projected to the screen. In customary graphics programming libraries, such as OpenGL[31],  $M(t)$  is a one-parameter family of 4-dimensional matrices applied to the vertices of  $X$  expressed in *homogeneous coordinates*. Thus, the abstract group of 3-dimensional Euclidean *isometries* (rotation followed by translation) is represented as a subgroup of the 4-dimensional linear group. Other 3D geometries, such as spherical and hyperbolic, can also be so represented and are treated in a similar way[18]. To the topologist,  $M(t)$  is a path in the isometry group of a 3-dimensional geometry. In this context the letter M is a mnemonic for *matrix*, *motion*, as well as MODEL\_VIEW in the vocabulary of OpenGL.

**articulation:** While the scene is not totally static here, and objects move about independently, they retain their geometric shape.

Such a clockwork of rigidly moving components (a marionette) would seem to differ qualitatively from a simple motion. In fact, it does so only quantitatively. One builds a *hierarchy* which assigns to each component its proper motion and

---

<sup>4</sup>The concept of *homeomorphy* is central in topology; it means “of the same shape.” Technically, each  $f_t$  is one-to-one and maps  $X$  onto its tope  $F_t$  in  $Y$ ; its inverse,  $f_t^{-1} : F_t \rightarrow X$  is thus well defined and continuous.

place in the world scene. Hierarchies are also called *scene graphs* because the order in which matrix multiplications are applied to objects forms a directed tree. That is, the  $i$ -th object has a display list  $X_i$  and an associated isometry,  $P_i$ , which places it into the coordinate system of the next higher object.

For Jim Blinn's *Blobby Man*[9], for example, each finger  $X_i, i = 1, \dots, 5$  would become  $P_i X_i$  when it is attached to the hand,  $X_6$ , which is attached to the arm  $X_7$ , the shoulder, the torso etc. Thus the thumb is rendered as  $M_0 \dots P_7 P_6 P_1 X_1$ , where  $M_0$  incorporates the observers motion. Of course, all the matrices are multiplied together into one before any vertex in the finger is sent down the pipeline. Thus the matrix for the arm is  $M_7 = M_0 \dots P_7$ , and  $M_6 = M_7 P_6$  is the matrix for the hand. The world motion,  $M_0$ , affects all objects and plays a special role as the inverse of the camera matrix. Suppose we place the observer (ourselves or the camera) somewhere,  $P_0$ , in the world. We could build an avatar,  $X_0$ , for ourselves so that we appear as  $M_0 P_0 X_0$ . If now we wish to see through our own eyes then  $X_0$  is rendered without modification, whence  $M_0 P_0 = I$  and  $M_0 = P_0^{-1}$ . If we wished to see through a camera held in the hand, for example, we would replace each  $M_i$  by  $M_6^{-1} M_i$ .

**distortion:** Here the motion  $M(t)$  is not Euclidean, spherical or hyperbolic. We do not assume that the  $M$  belongs to any particular group of isometries. But the action  $MX$  remains linear (a matrix multiplication). In general, the motion,  $M(x, t)$ , depends also on the location where it is applied, as well as on time.

A trivial example of this is a change in scale, especially a non-isotropic one, as when a sphere turns into an ellipsoid. Any decoration on the sphere, or an entire articulated hierarchy of objects subordinate to the sphere, would be similarly distorted in the graphics pipeline.

The general case, where  $M$  also depends on location, is rarely implemented in a graphics library or in the hardware of a graphics system. We would have liked to use such an acceleration Lou Kauffman's ambient isotopy of 3-space which illustrates Dirac's String Trick. Here, independent rotations of concentric spheres, parametrized by their radius, have the effect of straightening a twice twisted ribbon[36, 21, 26]. Since it was a distortion of space itself, everything in it (such as very many twisted ribbons) followed along, and no ribbons passed through themselves. Unlike an articulation, a distortion of space guarantees that initially disjoint elements will not collide during the homotopy. As we had no hardware acceleration for this kind of homotopy, it was implemented as a time-consuming per-vertex deformation and the videotape was ultimately made in the traditional frame-by-frame manner rather than capturing a real-time, interactive animation.

**deformation:** All changes from frame to frame involve changes in the vertices that make up  $X$ . Instead of time acting on  $M$ , it now acts on  $X(t)$ . That is, the coordinates of each vertex of an object are changed in time,  $x \rightarrow h(x, t)$ , before they are sent down the pipeline.

In a sense, all homotopies can be animated as deformations. It is the only way to do it in a graphics system that lacks a hierarchical geometric library with matrix algebra and hardware acceleration. However, when such shortcuts are available, it makes sense to distinguish this residual category from the previous three, which can be more easily programmed and more speedily displayed.

We often combine motions,  $M(t)$ , with deformations,  $X(t)$ . But for unfamiliar events it is best to alternate them, drawing  $M(\mu(t))X(\xi(t))$ , where  $d\mu/dt = 0$  whenever  $d\xi/dt \neq 0$  and vice-versa. Doing both simultaneously can be distracting unless one *time scale*,  $\mu(t)$ , is very much slower than the other one,  $\xi(t)$ .

## The Geometry Pipeline

We shall now trace what befalls a display list as it passes down the graphics pipeline by working backward from what you see on the screen. Window systems are ubiquitous, so the absolute *screen coordinates* of a figure have no primary importance. To locate a point in a visible region of the screen (namely in a *window*), we specify fractions of the width and heights taken in the appropriate direction. The x-coordinate, or abscissa, always goes from left to right, but the ordinate is as often top-down as bottom-up. This way the numerical description (of the geometrical objects to be drawn on the screen) is invariant under moving and resizing the window. What to do if the aspect ratio of the resized window has changed, is a matter of choice. Technically, one distinguishes between the window and the *viewport* into which a view of the world is transformed, either orthographically or perspectively. The window then need not coincide with the viewport, especially if they have different aspect ratios. Also, the window may have more than one viewport, as for stereographic pairs.

It is, however, more practical to consider an abstract 3-dimensional space described in *world coordinates*, in which everything happens. On the screen, we see a certain portion of this world through the window. An important motion through this world is a steerable flight through a scene,  $X$ . Here  $X$  represents all objects already placed into the world coordinates. An incremental adjustment of the controller (mouse or CAVE wand) at moment  $t$  is imposed on  $M_0$ . We multiply on the left by a small Euclidean isometry  $\tilde{M}_t$ . Thus  $M_0(t + dt)X = \tilde{M}_t M_0(t)X$ . The  $\tilde{M}$  is a rotation by a tiny angle followed by a translation by a tiny vector. An accumulation of such increments applied to an initial  $M_0(0)$  (which is usually the identity) constitutes a flight-path or motion through the world.<sup>5</sup>

Here is what happens to the homogeneous coordinates,  $(x, y, z, w)$ , of a vertex after it leaves interactive control and passes into the *clipping* part of the

---

<sup>5</sup>Unfortunately, OpenGL primitives multiply the current matrix only on the right since that is the natural place for implementing articulated hierarchies. Therefore some matrix arithmetic is inevitable. Moreover, OpenGL departs from the traditional representations of vectors as rows on the left of the matrix to the current standard of column vectors on the right. Even in mathematics this was not always so. Birkhoff and MacLane [8] use the former, and earlier yet, we used Einstein notation, and the issue was moot.



geometry pipeline. Only vertices inside the *clipping cube*

$$-1 \leq \frac{x}{w} \leq 1, -1 \leq \frac{y}{w} \leq 1, -1 \leq \frac{z}{w} \leq 1$$

are admissible. Line segments and triangles that cross its boundary are cropped,  $(\frac{x}{w}, \frac{y}{w})$  is scaled into the viewport, and  $\frac{z}{w}$  is discretized into the depth buffer. The division of  $(x, y, z)$  by  $w$  is the reason that perspective projections can also be implemented by one last matrix multiplication in the 4-dimensional linear group. The very cleverly designed (but misnamed) *projection matrix* maps a *viewing frustum* homeomorphically into the clipping cube. The viewing frustum consists of a rectangular window and the portion of the rectangular cone from the origin through this window located between the window and a parallel clipping plane further back. One is reminded of Albrecht Dürer’s etching of the artist sighting a reclining nude, and marking a transparent canvas where the sight lines pierce it.

We have seen, then, that a vertex in the display list of an object undergoes a sequence of multiplications by matrices representing the Euclidean motion of rotations (about the origin) followed by a translation. More precisely, these modeling matrices are in the 3-dimensional affine group, where the rotation is relaxed to be an arbitrary invertible linear transformation. This allows uniform, and non-uniform scaling. All the power (and frequent confusion) of interpreting the meaning of multiplying a vector by a matrix, and, by extension, the interpretation of the associative law of matrix multiplication, comes to into play here. In addition to Birkhoff and MacLane’s[8] classical *alibi* and *alias* interpretations, we have a *placement*. An object, described by a display list of coordinates in “its own natural” Cartesian framework, is *placed* into the reference frame of another object higher in the articulation hierarchy.

Let us illustrate the subtle differences in the case of a planar rotation:

$$\begin{bmatrix} u \\ v \end{bmatrix} = \begin{bmatrix} \cos \theta & -\sin \theta \\ \sin \theta & \cos \theta \end{bmatrix} \begin{bmatrix} x \\ y \end{bmatrix} = \begin{bmatrix} x \cos \theta - y \sin \theta \\ y \cos \theta + x \sin \theta \end{bmatrix} = \begin{bmatrix} x \cos \theta - y \sin \theta \\ x \sin \theta + y \cos \theta \end{bmatrix}$$

Customary matrix multiplication “row vector dot column vector” reveals  $(u, v)$  to be the coordinates of the same point in a coordinate system which was rotated by an angle of  $-\theta$ . The point has an *alias*.

$$\text{alias} \quad \begin{bmatrix} u \\ v \end{bmatrix} = \begin{bmatrix} \begin{bmatrix} \cos \theta \\ -\sin \theta \end{bmatrix} \cdot \begin{bmatrix} x \\ y \end{bmatrix} \\ \begin{bmatrix} +\sin \theta \\ \cos \theta \end{bmatrix} \cdot \begin{bmatrix} x \\ y \end{bmatrix} \end{bmatrix}$$

Factoring the second expression, we have a trigonometric interpolation which move the point  $(x, y)$  towards its left-perpendicular  $(-y, x)$  by an angle of  $\theta$  along a circular arc. Thus the point has an *alibi* as to its whereabouts.

$$\text{alibi} \quad \begin{bmatrix} u \\ v \end{bmatrix} = \begin{bmatrix} x \\ y \end{bmatrix} \cos \theta + \begin{bmatrix} -y \\ x \end{bmatrix} \sin \theta$$

Rearranging and factoring a different way, shows that  $(u, v)$  is what you get if you follow the recipe “go  $x$  units along the abscissa followed by  $y$  units along the ordinate” when the meaning of abscissa and ordinate has changed by a rotation of the coordinate frame of orthogonal unit vectors along the axes. The point has a new *place* inside a different frame of reference.

$$\mathbf{place} \begin{bmatrix} u \\ v \end{bmatrix} = \begin{bmatrix} \cos \theta \\ \sin \theta \end{bmatrix} x + \begin{bmatrix} -\sin \theta \\ \cos \theta \end{bmatrix} y$$

To illustrate the flexibility of our language, let us read

$$P_1 P_2 P_3 X = P_1 (P_2 P_3 X) = (P_1 P_2) (P_3 X)$$

in two ways. In the first, the object  $X$  has been moved about it’s own space by the composite motion  $P_2 P_3$  and then placed into the reference frame (coordinate system)  $P_1$ . In the second,  $X$  has been placed by  $P_3$  into a new reference frame, where it is then moved by the composite motion  $P_1 P_2$ .

Permutations of the *alias-alibi-placement* attitudes generate many more verbalizations of varying practicality. However, it time to apply our new vocabulary to a perennial problem in mathematical visualization, that of seeing into the fourth dimension.

## The Fourth Dimension.

It is curious how very much the popular mind is intrigued by the *Fourth Dimension* and it would be interesting to speculate why this might be so. See, for example, the article[27] in this volume. But here is not the place for even the most cursory review of this issue. The reader should set aside an evening for browsing the web on the subject. Special attention to the work of Tom Banchoff [4, 6] on the subject will be richly rewarded. What we can do here is to extend our vocabulary for metarealistic rendering a short distance in the direction of the Fourth Dimension.

First of all, we should distinguish between attempts to *visualize* phenomena extended in 4 isotropic dimensions, and our recognizing four and higher dimensional reality by its *special effects* in 3D. Borrowing from media jargon, we might call the former *4D-viz* and the latter *4D-fx*. It is appropriate here to remind the reader that, when all is said and done, we can see only curves and surfaces. We draw inferences about space and bodies by the way curves and surfaces arrange themselves under lighting, occlusion, motion parallax, binocular vision etc. We can learn to draw similar inferences about higher dimensions from the way we furnish ordinary space. We do this in basically four different ways.

**decorations:** Curves, surfaces and *rooms*,<sup>6</sup> whose points are endowed with more attributes than fit into 3-degrees of freedom, are equipped with visual artefacts, *glyphs*, which express the attributes.

---

<sup>6</sup>The correct technical term is *volumes*, as in *volumetric rendering*. But non-specialists might be misled into thinking of books. The mathematical *sammelbegriff* in question is, of courses, *3D-manifold*. But one shrinks from the automotive misconstructions of that term. In VR the term *world* is coming into vogue.

The whole of scientific visualization might be subsumed under this first rubric. For example, we might paint temperatures on heated objects in vivid color. We distinguish two *hyper-attributes*, say pressure and temperature, by color and texture. Visualizing surfaces in 4-space by painting the fourth dimension on a 3D slice or shadow of it is less successful. Graphs of complex functions are particularly sensitive to such graphical misadventures. The reason is simple. While we are not apt to rotate pressure into temperature, we do want to rotate an object in 4D every which way.

A common way of indicating many hyper-attributes is to place *glyphs* at a sample of points. We remember the little arrows representing velocity vector field from our calculus courses. Glyphs generalize this idea in the form of small, solid shapes, which have an obvious direction. Limited ranges of other attributes are mapped to physical features of the glyph, for example, its size, color, shape, texture, and other details.

**charting:** Three dimensional subspaces of  $R^4$  are mapped faithfully to a flat, 3-dimensional canvas.

What kind of subspaces, *e.g.* manifolds, and how faithful, *e.g.* conformal, are subjects of a finer classification than we have in mind here. Think of a Mercator or a polar projection of a sphere to a page in an atlas, but bothe are one dimension higher. Topologists prefer to call it a *chart* rather than a *map* to emphasize that the the mapping is one-to-one and provides a local coordinate system.

Among the most satisfactory examples of this genre are the elegant realizations of non-Euclidean geometries of 3-space in terms of projections from 3-manifolds in  $R^4$ . For a positively curved geometry of space we use a *conformal projection* of the 3-sphere from its pole to flat 3-space. The geometers commonly call this projection *stereographic*, which also means *binocular*, and the geographers prefer *polar*, which has yet other geometrical meanings. Straight lines become circles, and geometrically flat Clifford tori become the sensuously oblique Cyclides of Dupin[3]. Central projection of a 3-dimensional paraboloid to the 3-ball gives it a hyperbolic geometry, exquisitely rendered in the the final minutes of the Geometry Center's classic video *Not Knot*[24].

Our real-time interactive CAVE animation, *A Post-Euclidean Walkabout*[18], has four such charts. In the first act we are still in Euclidean space and merely fly around and through a morphing shape of a sea shell. Act two starts with a suitably triangulated and painted hyperbolic octagon in the Poincaré model of the hyperbolic plane. It lifts off the plane and wraps itself into a double torus. Though topologically distorted, the triangulation remains as a testimony to the conformal structure on the Riemann surface. Next, we enter hyperbolic 3-space and fly through its tessellation by right-angled dodecahedra. In the final act we visit the dodecahedral subdivision of the 3-sphere, the 120-cell.

The efficiency of these *4D-fx* is the result of the intrinsically 4-dimensional nature of the Silicon Graphics geometry pipeline, which powers the CAVE. All three isometry groups, Euclidean, hyperbolic and spherical, have a representation in the 4D general linear group which acts on the *projective models* of the

three geometries of space. This *Klein Model* of hyperbolic 3-space is *conformal* at the origin.<sup>7</sup> To give the CAVE visitors the correct illusion of flying while keeping them resolutely fixed at the origin, we inflict a 1-parameter family of hyperbolic isometries on the dodecahedral tessellation.

**shadows:** Generalize to one dimension higher, the familiar perspective, axonometric, and orthographic projections from the fine and graphic arts.

One immediate problem with this is the fact that we look at a perspective drawing of a 3-D scene from the *outside*. Add one dimension and we now experience the picture first hand, by being in it.

However, even with 3D perspective our perception depends on a 2D picture having lots of curves in it: edges, profiles, contours, 1-D textures. Similarly, we can learn to recognize 3D projections of surfaces extended in 4D by the way their shadows on our 3D canvas deform even as the object is rigidly rotating in 4D. This school of thought originated with Tom Banchoff's classic computer animations[5].

Somewhat more difficult to follow is a homotopy of a surface in 4D, such as the unraveling of an unknot. An embedding of a 2-sphere in 4D is called a *4D-knot*. It is a trivial 4D knot, an *unknot*, precisely if an isotopy moves it into a 3D-flat, and there, it looks like a sphere. The lower dimensional analogue of such a thing is an unknotted tangle, say your garden hose with end screwed to end, magically unangling itself, without *cutting and pasting*, so as to lie flat on the lawn as a perfect circle. This was Dennis Roseman's subject in our CAVE tryptich, *Laterna matheMagica*[19]. There, the *shadow* of the unknot was decorated with a color to indicate the intersection with a 3D-flat slicing through the surface.

**slices:** If we interpret one axis in  $R^4$  as time, then the succession of orthogonal 3-spaces organize themselves into one spatio-temporal experience, *e.g.* a movie, an earthquake, a dream. Conversely, any process in space-time can be regarded as a monolithic 4-dimensional entity.

If we slice a plane through a surface in 3D we see curves wriggling in the plane. The curves need not be amorphous. Floor plans of buildings are also 2D slices of surfaces in 3D, which change discontinuously as we move through the ceiling. Contour lines of maps depicting mountain tops, passes and valleys are familiar examples of slices. If we pass a 3D slice through a surface in 4D we get curves in space which undergo interesting recombinations. Of course, we might start with the recombinations and organize them into a coherent surface in 4-space.

---

<sup>7</sup>Confomal means angle-preserving in general. The *Poincaré Model* of hyperbolic space is conformal at all of its points. Its *straight lines* are Euclidean circles. To be conformal just at the origin means that visual angles from that viewpoint are the same in hyperbolic geometry as in the Euclidean geometry in which the model is constructed. But that suffices for distant angles to also look correct to our Euclidean eyes. In particular, right angles look right.

However a better analogy is obtained by considering a maze. A 2D-maze is what we solve on a piece of paper. Even when we are in the maze, as in a park or on a floor of an unfamiliar building, we can find our way out as soon as we see a floor-plan. A 3D-maze is just a stack of floor-plans, a building for example. So a 4D-maze is a stack of buildings, and finding your way around and out of such a maze is best left to Virtual Reality [35].

## Technology-driven Research

From the beginning of my topological apprenticeship I was repelled by the customary highly formal, mostly verbal, and poorly illustrated descriptions of homotopies. In time, I also learned that the authors of these descriptions secretly drew pictures for themselves to clarify their thoughts, to simplify, and even to discover new theorems. Only their modest skills and lack of training in the graphic arts kept them from making their expositions easier to follow. Or so I thought! In fact, it was the custom in the heyday of Bourbaki to disparage pictures in mathematics. It was rationalized by claims that pictures lead to erroneous inferences, that they are expensive to print, that they take up space better devoted to elaborate notation.

Determined to illustrate homotopies more effectively, and to teach others to do likewise, I needed to find new graphic media. For my purposes, the medium had to be completely under my control. Inspired by Hilbert Cohn-Vossen[30], I first learned to draw with pencil, chalk and ink pen, on paper napkins, blackboards and drafting vellum[20]. But some homotopies simply would not fit into a set of one, two, or however many discrete pictures; they required animation [25].

Traditional cell-animation (*à la* Disney) was out of the question. This medium requires substantial group effort. Cell-animation teams are highly differentiated and specialized. Having little talent for management and no appreciable resources, I had to look for other ways to animate my homotopies. Computer animation looked attractive, in particular the promise of real-time interactive computer animation. Once early on, I was too late to make a videotape in time for a public presentation. The convention then (and still today) was to capture frames into animation buffers, transfer them over the net, and lay them onto the tape. My NCSA colleague, Ray Idaszak, suggested that I build flexible steering gadgetry into the program and wire the *Personal Iris* workstations directly to the beta-cam recorder. I rehearsed my talk as I steered the RTICA, and the tape got done in time for the conference.

Computer animation, which meets current standards of quality, continues to be produced in the traditional stop-action manner, because computers cannot produce frames of the required quality in the twenty-fourth of a second needed for the animation to pass the threshold of fluidity. As computer speed catches up to yesterday's standards, tomorrow's techniques of photorealism streak out of range of real-time interaction. Typically, an RTICA is used for a computer animation only initially: to explore and refine, perhaps to choreograph the action and plan the camera paths. At this stage of the production, rough,

sketch-like rendering suffices. Later, often at tremendous cost in resources (time, cycles and storage) the planned frames are rendered and stored at leisure until they can be assembled into a videotape or digital movie. By and large, this process was not for me.

Some of my projects did require division of labor and specialization to be *successful*, to result in SIGGRAPH quality videotapes produced in the traditional manner[10, 22, 36, 39]. These projects required far too much emotional effort and their completion generally left me drained and unproductive for months! Quantitatively speaking, it was more cost-effective to concentrate on the construction of the RTICA than on the production of competitive videotapes.

The decision to optimise the efficiency of an RTICA, and to find homotopies most suitable for the technology at hand, eventually paid off handsomely. Real-time interactive animation was exactly what was needed for immersive virtual environments, such as the CAVE[15, 17, 18, 19, 37]. This new medium presented its own geometrical and pedagogical challenges. Adapting CAVE programming to the classroom involves careful design of examples and prototypes like the *illiShell* (1994) and *illiSkeleton*(1998).

My *illiView* project<sup>8</sup> acquired new shibboleths like “transfer of technology” and “rapid prototyping.” Each new technological opportunity and demand generated criteria for choosing the homotopy to be taken on next. Not infrequently, a student in a geometrical graphics course would express the desire to experiment with a particular set of graphical features unfamiliar to me. In keeping with the mathematical nature of the courses, this also required finding a suitable homotopy to be illustrated with the new technology.

This, then, is the context in which our present article takes its origins. Our modest expansion of the technical vocabulary for treating real-time interactive computer animation with some precision, at least fits our experience. We hope that it will prove equally useful to other graphicist who practice metarealistic rendering, whether they approve of this name for their work or not.

## References

- [1] *Proceedings of the First International Symposium on Non-Photorealistic Animation and Rendering*. ACM-SIGGRAPH, Eurographics, Annecy, France, June 5-7,2000.
- [2] Hans-Dieter Abring. *Von Daguerre Bis Heute, Band I*. Buchverlag und Foto-Museum, 1990.
- [3] Thomas Banchoff. The spherical two piece property and tight surfaces in spheres. *Journal of DifferentialGeometry*, 4(3):193–205, 1970.
- [4] Thomas Banchoff. *Beyond the Third Dimension*. W. H. Freeman&Co., Scientific American Library, New York, 1990.

---

<sup>8</sup>Named in admiration of the Geometry Center’s geometrical viewing package, *Minneview*, its highly successful successor, *Geomview*, and cousin *Meshview* by Andy Hanson, *illiView* differs from these in many respects, as described in [25].

- [5] Thomas Banchoff and Charles Strauss. *Complex Function Graphs, Dupin Cyclides, Gauss Maps and the Veronese Surface*. Computer Geometry Films: Brown University, Providence, RI, 1977.
- [6] Tom Banchoff and Davide Cervone. Math awareness month 2000: An interactive experience. In M. Emmer and M. Manaresi, editors, *Visual Mind 2*. MIT Press, Cambridge, MA, 2002. to appear.
- [7] David Banks. Interactive display and manipulation of two dimensional surfaces in four-dimensional space. In *Symposium on Interactive 3D Graphics*, pages 197–207. ACM, 1992.
- [8] Garrett Birkhoff and Saunders MacLane. *A Survey of Modern Algebra*. MacMillan, 1953.
- [9] Jim Blinn. *Jim Blinn's Corner: A Trip Down the Graphics Pipeline*. Morgan Kaufmann, 1996.
- [10] Donna Cox, George Francis, and Ray Idaszak. The Etruscan Venus. In Tom DeFanti and Maxine Brown, editors, *Video Review Number 49*. ACM-SIGGRAPH, 1989.
- [11] H.M.S. Coxeter, Michele Emmer, Roger Penrose, and M. Teuber, editors. *M.C. Escher: Mathematics and Art*. North Holland, Amsterdam, 1986, 5th edition.
- [12] Carolina Cruz-Neira, Daniel J. Sandin, Thomas A. DeFanti, R. V. Kenyon, and John C. Hart. The CAVE: Audio-visual experience automatic virtual environment. *Communications ACM*, 35(6):65–72, 1992.
- [13] Michael Daniels and Michael Pelsmajer. *Illusion*. National Center for Supercomputing Applications, University of Illinois at Urbana-Champaign, 2000. An *illiView* real-time interactive CAVE animation.
- [14] Michele Emmer and M. Manaresi, editors. *Mathematics, Art, Technology and Cinema*. Springer Verlag, New York, 2002. to appear.
- [15] John Estabrook, Ulises Cervantes-Pimentel, Birgit Bluemer, and George Francis. Partnerball: a mathematical experiment in simulating gravitational lenses in tele-immersive virtual reality. *Supercomputing98*, 1998.
- [16] Mark Flider. *Schprel*. National Center for Supercomputing Applications, University of Illinois at Urbana-Champaign, 2001. An *illiView* real-time interactive CAVE animation.
- [17] Alex Francis, Umesh Thakkar, Kevin Vlack, and George Francis. CAVE Gladiator: Experiments on the relative value of head-tracking and stereopsis in CAVE immersive virtual environments. *CAVERNUS: The CAVE Research Network Users Society*, 1998.

- [18] George Francis, Chris Hartman, Glenn Chappell, Ulrike Axen, Paul McCreary, Joanna Mason, and Alma Arias. Post-Euclian Walkabout. In *VROOM – the Virtual Reality Room*. ACM-SIGGRAPH, Orlando, 1994.
- [19] George Francis, John M. Sullivan, Ken Brakke, Dennis Roseman, Rob Kusner, Alex Bourd, Chris Hartman, Ulrike Axen, , Jason Rubenstein, Paul McCreary, Will Scullin, and Glenn Chappell. LATERNA matheMAGICA. In Holly Korab and Maxine D. Brown, editors, *Virtual Environments and Distributed Computing at SC'95: GII Testbed and HPC Challenge Applications on the I-WAY*. ACM/IEEE Supercomputing'95, 1995.
- [20] George K. Francis. *A Topological Picturebook*. Springer, 1987.
- [21] George K. Francis and Louis H. Kauffman. Air on the Dirac Strings. In William Abikoff, Joan Birman, and Katherine Kuiken, editors, *The Mathematical Legacy of Wilhelm Magnus*, volume 169, pages 261–276. Amer. Math. Soc., Providence, RI, 1994.
- [22] George K. Francis, John M. Sullivan, Stuart S. Levy, Camille Goudeseune, and Chris Hartman. The Optiverse. In *SIGGRAPH Video Review*, volume 125 of *Electronic Theater*. ACM-SIGGRAPH, 1998. 3 min narrated and scored videotape.
- [23] Stuart Green, David Salesin, Simon Schofield, Aaron Hertzmann, Peter Litwinowicz, Amy Gooch, Cassidy Curtis, and Bruce Gooch. *Non-Photorealistic Rendering, Course Notes*. ACM-SIGGRAPH, New Orleans, 1999.
- [24] Charlie Gunn and Delle Maxwell. *Not Knot*. A K Peters, Wellesley, MA, 1991. video (17 min) produced by the Geometry Center, U. Minnesota.
- [25] Andrew Hanson, Tamara Munzner, and George Francis. Interactive methods for visualizable geometry. *IEEE Computer*, 27(4):73–83, July 1994.
- [26] John C. Hart, George K. Francis, and Louis H. Kauffman. Visualizing quaternion rotation. *ACM Transactions on Graphics*, 13(3):256–276, 1994.
- [27] Linda Henderson. Four-dimensional space or space-time? the emergence of the cubism-relativity myth in new york in the 1940s. In M. Emmer and M. Manaresi, editors, *Visual Mind 2*. MIT Press, Cambridge, MA, 2002. to appear.
- [28] Linda Dalrymple Henderson. *The Fourth Dimension and Non-Euclidean Geometry in Modern Art*. Princeton University Press, Princeton, new edition MIT Press, Cambridge, 2001 edition, 1983.
- [29] Aaron Hertzmann and Denis Zorin. Illustrating smooth surfaces. *SIGGRAPH2000 Conference Proceedings*, pages 517–526, 2000.



- [30] David Hilbert and S. Cohn-Vossen. *Geometry and the Imagination*. Chelsea, 1952.
- [31] Mark J. Kilgard. *OpenGL programming for the X Window System*. Addison-Wesley, 1996.
- [32] Scott E. Kim. An impossible four-dimensional illusion. In David W. Brison, editor, *Hypergraphics: Visualizing Complex Relationships in Art, Science and Technology*, pages 187–239. Westview Press, Boulder, 1978.
- [33] Lee Markosian, Michael Kowalski, Samuel Trychin, Lubomir Bourdev, Daniel Goldstein, and John F. Hughes. Real-time nonphotorealistic rendering. *Proceedings of SIGGRAPH 97*, pages 415–420, August 1997.
- [34] William Morris, editor. *The American Heritage Dictionary of the English Language*. Houghton Mifflin, 1969.
- [35] Michael Pelsmajer. *4D-Maze*. National Center for Supercomputing Applications, University of Illinois at Urbana-Champaign, 1999. An *illiView* real-time interactive CAVE animation.
- [36] Daniel Sandin, George Francis, Louis Kauffman, Chris Hartman, Glenn Chappell, and John Hart. Air on the Dirac Strings. In Tom DeFanti and Maxine Brown, editors, *Electronic Theater*. ACM-SIGGRAPH, 1993.
- [37] Daniel Sandin, Louis Kauffman, George Francis, Joanna Mason, and Milana Huang. Getting Physical in Four Dimensions. In *VROOM – the Virtual Reality Room*. ACM-SIGGRAPH, Orlando, 1994.
- [38] John M. Sullivan. The Optiverse and other sphere eversions. In *ISAMA 99*, pages 491–497. The International Society of The Arts, Mathematics and Architecture, Univ. of the Basque Country, 1999. Proceedings of the June 1999 conferece in San Sebastián.
- [39] John M. Sullivan, George Francis Stuart S. Levy, Camille Goudeseune, and Chris Hartman. The Optiverse. In Hans-Christian Hege and Konrad Polthier, editors, *VideoMath Review Cassette*, VideoMath Festival at ICM’98. Springer-Verlag, Berlin, 1998. 6.5 min narrated and scored videotape.
- [40] H. Seifert und W. Threlfall. *Lehrbuch der Topologie*. Chelsea, 1947.
- [41] *Webster’s Collegiate Dictionary*. Thomas Allen, Ltd., 5th edition edition, 1936.
- [42] Jeffrey R. Weeks. *The Shape of Space*. Dekker, 1985.




Figure 1: Snapshot into a gravitational lensing project by John Estabrook, Ulises Cervantes-Pimentel, Birgit Bluemer and George Francis. In this real-time interactive CAVE animation an invisible mass distorts our view of the world. A second image forms within the Einstein radius about the mass, which is inside the spiral ball. The ball is confined to bounce about the cubical stage. The rules of this CAVE-to-CAVE game, based on the Prisoner's Dilemma and implemented on the DuoDesk, amused the NCSA PACI-Partners and visitors to Supercomputing98[15].




Figure 2: Thirteen topes (stages) of the symmetry-3 eversion in the “Optiverse” by John M. Sullivan, Stuart Levy and George Francis [19, 22, 39]. Clockwise (from top-left), this regular homotopy turns a bi-colored sphere inside out by passing through Boy’s Surface (center). It is not an isotopy of the sphere in 3-space, nor can it be regarded as the shadow of an isotopy in 4-space. In metarealistic terms this famous eversion is an essential deformation.




Figure 3: Thirteen topes (stages) of the “illiSnail” animation in the “Post-Euclidean Walk-about” CAVE show at SIGGRAPH94 by Chris Hartman, Glenn Chappell, Ulrike Axen, Paul McCreary and George Francis[18]. Clockwise (from top-left), we chart Blaine Lawson’s ruled, minimal surfaces in the 3-sphere by projecting them conformally to 3space, passing through a meridian 2-sphere (1), a half-twist Möbius band (2) with a circular border (3) closing up to Steiner’s cross-cap (4) and Roman surface (5). A once-twisted ribbon (6,7) closes up to the Clifford torus, seen from the outside (8) and inside (center). A 3-half twisted ribbon (9) closes up (10) to half of Lawson’s minimal Kleinbottle. This surface is also the mapping cylinder of  $w^2 = z^3$ , and Ulrich Brehm’s trefoil knot-box. This real-time interactive CAVE animation has conformal projections (charts), shadows and slices of surfaces embedded, rotating, and isotopically deforming in 4-space.




Figure 4: Four cross-eyed stereograms from the "Air on the Strings of Dirac" by Dan Sandin, Lou Kauffman, Chris Hartman, Glenn Chappell, John Hart and George Francis[36, 21, 26] presented in the Electronic Theater, SIGGRAPH93. Any number (here 4) of ribbons, each with two full twists, kept stationary at the center and the periphery of the orb, untwist in the space between without getting tangled up. This ambient isotopy of space is an example of a distortion which is a special effect of the quaternionic geometry of the group of Euclidean rotations.




Figure 5: The arena for the physics based game, "CAVE Gladiator", by Kevin Vlack, Alex Bourd, Alex Francis, Umesh Thakkar and George Francis[17]. This fanciful and wholly non-violent game, combining elements from ice hockey, basketball, and archery, was used for a human factors experiment. Binocular vision is obviously essential in the 5 foot radius near-field, and irrelevant in the vista-space at "infinity". We confirmed the conjecture that, in the arena-size action space (5 to 100 feet), binocular vision is less important than other depth-cues such as motion parallax, occlusion, and perspective.




Figure 6: Stonehenge scene from Mark Flider's special relativity CAVE animation, "Schprel" [16]. To simulate the experience of an observer steering her way through the landscape, ideally, every point at each instant is displaced depending non-linearly on the position and velocity of the observer now, and for all time in the past. For an approximation of this illusion only a few past positions of each vertex are cached. Then, the next position of the observer elicits a computation of the historical place of each vertex whose light reaches the observer now.